Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	51	(torque adj limit\$2) and (tire or tyre) and temperature and transmission and differential	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 14:46
S2	2	("5176213").PN. OR ("6704627"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/16 10:53
S3	10	("5665021" "5730680" "5803862" "5807206" "5947861" "5971887" "6146308" "6157884" "6287232" "6317672").PN. OR ("6666793"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/16 10:55
S4	26	("4754834" "4757870" "4773500" "4776424" "4846298" "4874056" "4887689" "4989686" "5060747" "5168955" "5178231" "5197008" "5243526" "5245542" "5255192").PN. OR ("5461568"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/16 11:31
S5	25	("3656573" "4467886" "4718303" "4773517" "4884653" "4961476" "4986388" "4989686" "4991678" "5032995" "5060747" "5197566" "5215160" "5219038" "5407024" "5461568" "5479348" "5752211" "5809443").PN. OR ("5954778").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/16 11:41
S6	41	("4466502" "4473143" "4484653" "4497397" "4558414" "4558772" "4562541" "4583627" "4586583").PN. OR ("4754834").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/16 14:20
S7	238	701/69.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:21
S8	187	S7 and torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:21

S9	114	S8 and distribution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 20:49
S10	5	S9 and (torque adj limit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 14:26
S11	109	S9 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:40
S12	5	("4702341" "5353889" "5754970" "5803197" "6073715").PN. OR ("6850830"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/16 15:03
S13	9	("4699236" "4714127" "4768609" "5014809" "5197566" "5289895" "5517416" "5752211" "5894904").PN. OR ("6697725").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/16 15:27
S14	2	("6497301").URPN.	USPAT	OR	ON	2005/09/16 15:41
S15	238	701/69.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:54
S16	187	S15 and torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:40
S17	114	S16 and distribution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:40

	·		1			
S18	73	S16 not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:52
S19	51	S15 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:52
S20	185	701/65.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:14
S21	2	S20 and (torque same distribution)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 17:55
S22	137	S20 and torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:14
S23	48	S20 not S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/09/16 18:13
S24	166	701/58.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:28
S25	122	S24 and torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:14

S26	16	S25 and distribution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:20
S27	106	S25 not S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:20
S28	1197	701/51.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:28
S29	60	S28 and torque and distribution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/16 18:29
S30	13	(US-20020128115-\$).did. or (US-5014809-\$ or US-5448478-\$ or US-5461568-\$ or US-5631829-\$ or US-5809443-\$ or US-6070685-\$ or US-6450921-\$ or US-6497301-\$ or US-6697725-\$ or US-6704627-\$ or US-6810983-\$ or US-6850830-\$). did.	US-PGPUB; USPAT	OR	ON	2005/09/17 15:30
S31	4	S30 and (oil near temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 16:22
S32	2	("20040059490").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/17 16:22
S33	65	(clutch near control) and distribution and torque and (oil near temperature) and diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/17 17:32

···			,			
S34	_ 238	701/69.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 20:49
S35	187	S34 and torque	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 20:49
S36	35	S35 and distribution and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 20:52
S37	2	("6580994").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/17 20:52
S38	6	("4702341" "4982809" "5152191" "6077186").PN. OR ("6580994").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/17 20:53
S39	2	("20040059490").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/18 16:52
S40	2	("5631829").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/09/18 16:52
S42	868	(torque adj limit\$3) same (transmission and control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:40
S43	178	S42 and (transmission adj torque)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 09:53

S44	74	S43 and continuous\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 11:36
S45	73	S44 and (time or second or minute or integra\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 09:58
S46	64	S45 and (temperature or tire or tyre or wheel or diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 10:00
S47	0	("2004/0059490").URPN.	USPAT	OR	ON	2006/02/28 10:42
S48	39	S43 and (clutch near (torque or force))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 11:52
S49	17	S42 and clutch and ((tire or tyre or wheel) near (diameter or size or standard)) and (oil near temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 11:53
S50	12	("4650028" "5699888" "5964126" "5967285" "6095939" "6155947" "6186258" "6378677" "6520880" "6578692" "6637572" "6814681").PN, OR ("6966396").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/28 12:07
S51	10	("5665021" "5730680" "5803862" "5807206" "5947861" "5971887" "6146308" "6157884" "6287232" "6317672").PN. OR ("6666793"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/28 12:15
S52	323	(torque adj limiter) same clutch same (reduc\$3 or decreas\$3 or less\$2 or lower)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:43
S53	176	S52 and transmission	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:43

			1	1		<u> </u>
S54	123	S53 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:43
S55	85	S54 and (continuous\$2 or perpetual\$2 or always)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 13:45
S56	21	S55 and temperature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:06
S57	509	701/54.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:06
S58	445	S57 and (torque or force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:06
S59	313	S58 and clutch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:06
S60	8	S59 and ((wheel or tire or tyre) adj3 (diameter or size or spare or standard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:07
S61	8	S59 and ((wheel or tire or tyre) adj3 (diameter or size or spare or standard or nonstandard))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/02/28 15:08
S62	2	("5631829").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/03/06 01:45
S63	122	477/70.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 11:50

S64	63	S63 and (tire or tyre or wheel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 12:12
S65	59	S63 not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 11:45
S66	71	477/76.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 12:12
S67	177	477/77.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 13:56
S69	90	S67 and (tire or tyre or wheel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 12:12
S70	87	S67 not S69	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 13:41
S71	2	("20040059490").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/17 13:56
S72	184	477/79.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 14:07
S73	9	S72 and (oil near temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 13:58
S74	78	S72 and (wheel or tire or tyre)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 14:08

			T			
S75	102	S72 not (S73 or S74)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 14:04
S76	420	192/3.51.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 14:08
S77	124	S76 and (wheel or tire or tyre)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 14:19
S78	37425	vehicle and transmission and torque and (wheel or tire or tyre)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 14:20
S79	1275	vehicle and transmission and (torque adj limit\$3) and (wheel or tire or tyre)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 14:20
S80	1020	S79 and time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 14:20
S81	134	S80 and (((wheel or tire or tyre) adj (size or diameter or radius or standard or nonstandard)) or (oil adj temperature))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/17 14:23
S82	3	("4644334" "5339776").PN. OR ("6923158").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/17 17:09
S83	192	701/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 16:01
S84	5	("20040053744" "4922424" "5445579" "5888170" "6712735").PN. OR ("6926640"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/18 15:14

S85	255	701/69.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 16:27
S86	19	S85 and (oil adj temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 16:02
S87	2	("2002/0147537").URPN.	USPAT	OR	ON	2006/05/18 16:03
S88	6	("4702341" "5353889" "5754970" "5803197" "6073715").PN. OR ("6850830"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/18 16:05
S89	240	S85 and (wheel or tire or tyre)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 16:26
S90	13	("20020045981" "20020107628" "20030079954" "5002147" "5041978" "5168955" "5224044" "5270930" "5631829" "5671144" "5754967" "6094614").PN. OR ("6634451"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/18 16:17
S91	15	S85 not S89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 16:26
S92	93	701/59.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 16:32
S93	117	701/61.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 16:40
S94	1258	701/51.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 16:40

						•
S95	167	S94 and (oil adj temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 16:40
S96	116	S95 and (wheel or tire or tyre)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 16:48
S97	51	S95 not S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/18 16:48
S98	172	192/3.51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/25 20:14
S99	277	701/51.ccls.	US-PGPUB	OR	ON	2006/05/25 20:58
S10 0	192	701/62.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/05/25 20:49
S10 1	37	701/69.ccls.	US-PGPUB	OR	ON	2006/05/25 21:01
S10 2	6	701/58.ccls.	US-PGPUB	OR	ON	2006/05/25 21:02
S10 3	106	701/54.ccls.	US-PGPUB	OR	ON	2006/05/25 21:10
S10 4	2	477/76.ccls.	US-PGPUB	OR	ON	2006/05/25 21:10